

PRODUCT DATASHEET

NIGHTLUX Hall White

NIGHTLUX Hall | Mobile nightlights with motion sensor and tilt function, battery-powered



AREAS OF APPLICATION

- For a very large range of uses
- Indoor and outdoor
- Entrances / Hallways
- Corridors

PRODUCT BENEFITS

- Attractive and functional design
- Economical operation due to low power consumption
- Easy and fast mounting on nearly every surface (adhesive tape or screws)
- Light direction individually adjustable
- Accessories for flexible mounting options included

PRODUCT FEATURES

- Integrated light and motion sensor
- Available in two housing colors
- Switch for Auto- or On/Off-Mode
- Type of protection: IP54



TECHNICAL DATA

Electrical data

Nominal wattage	0.25 W
Operating mode	Battery
Nominal voltage	4.5 V
Mains frequency	0 Hz


Photometrical data

Color temperature	4000 K
Color rendering index Ra	>80
Light color (designation)	Cool White
Luminous flux	14 lm
Luminous efficacy	4 lm/W

Luminaire sensor data

Type of sensor	Light / Motion
Sensor technology	Passive infrared (PIR)

Dimensions & weight



Length	84.0 mm
Width	73.0 mm
Height	22.0 mm
Product weight	98.00 g

Colors & materials

Body material	Polycarbonate (PC)
Product color	White
Housing color	White

Temperatures & operating conditions

Ambient temperature range	0...+25 °C
----------------------------------	------------

Lifespan

Number of switching cycles	10000
-----------------------------------	-------

Additional product data

Mounting type	Surface
Mounting location	Wall

Capabilities

Dimmable	No
LED module replaceable	Not replaceable

Certificates & standards

Protection class	III
Type of protection	IP54
Standards	CE/EAC/REACH/RoHS

EQUIPMENT / ACCESSORIES

- Batteries included: 3x1.5 V LR03 (AAA)

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4058075260658	Blister 1	25 mm x 140 mm x 195 mm	118.00 g	0.68 dm ³
4058075260665	Shipping carton box 6	163 mm x 154 mm x 210 mm	817.00 g	5.27 dm ³

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.