

PRODUCT DATASHEET SMART+ BT FLEX 5M

SMART+ FLEX OUTDOOR MULTICOLOR | Flexible LED strips for outdoor use with Bluetooth technology





May 11, 2021, 10:14:06 SMART+ BT FLEX 5M

TECHNICAL DATA

Electrical data

Nominal wattage	16.00 W
Nominal voltage	220240 V
Nominal current	120 mA
Power factor λ	> 0,50
Operating mode	External LED driver

Photometrical data

Light color (designation)	RGBTW
Standard deviation of color matching	≤6 sdcm
Nominal luminous flux	1100 lm
Luminous flux	1100 lm
Luminous efficacy	69 lm/W
Color temperature	2000 6500 K
Color rendering index Ra	> 80

Light technical data

Beam angle 110 °

Dimensions & weight

Product weight	560.000 g
Length	5000.00 mm
Width	12.00 mm
Height	4.50 mm

Lifespan

Number of switching cycles	15000
----------------------------	-------

Colors & materials

Product color	Transparent
Body material	Silicone

Cover material Polycarbonate (PC)		
Temperatures & operating conditions		
Ambient temperature range -20+40 °C		

Additional product data

Show WEEE picto	Yes
Mounting location	All surfaces

Capabilities

Dimmable	Yes
Type of connection	Plug type C (EU)
Compatible smart home technology Google Assistant / Amazon Alexa	
ErP LEDmod replaceable Not replaceable	

Certificates & standards

Energy efficiency class	A++
Standards	CE / EAC / REACH / RoHS
Protection class	Ш
Type of protection	IP44

DOWNLOAD DATA

	DOWNLOAD DATA
PDF	User instruction SMART+ BT OUTDOOR FLEX
PDF	Declarations of conformity SMART BT OUTDOOR FLEX 5M RGBTW

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4058075504882	Folding box 1	62 mm x 254 mm x 230 mm	777.00 g	3.62 dm ³
4058075504899	Shipping box 4	480 mm x 270 mm x 154 mm	3493.00 g	19.96 dm³

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.