

INSTA CONTACTOR WITH 4 MAKE CONTACTS  
CONTACT FOR 230, 400 V AC, 25 A TRIGGERING 24  
V AC



Figure similar

Model		
product brand name		SETRON
Product designation		Insta contactors
Type of voltage / of the operating voltage		AC
Type of voltage / for actuation		AC
Protection class		
Protection class IP		IP20
Switching capacity		
Switching capacity active power / with filament lamp load	W	2 000
Dissipation		
Power loss [W]		
<ul style="list-style-type: none"> <li>for rated value of the current / at AC / in hot operating state / per pole</li> </ul>	W	2.2
<ul style="list-style-type: none"> <li>maximum</li> </ul>	W	2.2
Main circuit		

<b>Operating voltage / rated value</b>		
• minimum	V	440
• maximum	V	440
<b>Operating current / rated value</b>	A	25

#### Control current

<b>Control supply voltage</b>		
• rated value	V	24
• rated value / maximum	V	24

#### Product details

Product component / Slide for manual operation		No
Product extension / can be installed / supplementary devices		Yes

#### Number

<b>Number of NC contacts</b>		0
<b>Number of NO contacts</b>		4

#### Mechanical Design

<b>Height</b>	mm	90
<b>Width</b>	mm	36
<b>Depth</b>	mm	71
<b>Installation depth</b>	mm	64
<b>Number of width units</b>		2
<b>Net weight</b>	g	272

#### Certificates

Equipment marking / acc. to DIN EN 61346-2		Q
--	--	---

<b>General Product Approval</b>	<b>Declaration of Conformity</b>	<b>other</b>
---------------------------------	----------------------------------	--------------



[sonstig](#)



[Umweltbestätigung](#)

#### Further information

##### Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

##### Industry Mall (Online ordering system)

<https://eb.automation.siemens.com/mall/en/WW/Catalog/Product/5TT5830-2>

##### Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<http://support.automation.siemens.com/WW/view/en/5TT5830-2/all>

##### Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)


[http://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=5TT5830-2](http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=5TT5830-2)

##### CAX-Online-Generator

<http://www.siemens.com/cax>

**Tender specifications**

<http://ausschreibungstexte.siemens.com/tiplv>



last modified:

07/13/2016