

Articolo

563.6386
 PRESA ADVANCE 2 3P+T 63A 6h IP67 C/FUS

Immagine**Anagrafica**

Minimo ordinabile	1 NR
Peso Netto	2.848 KG
Codice EAN	8001636160689
Codice INTRASTAT	85366990

TechData

Descrizione sintetica	PRESA INTERBLOCCATA
Grado di protezione	IP66/IP67
Serie commerciale	Serie ADVANCE 2
Flangia	136X390MM
Uscita cavo	M40X1,5
Corrente nominale	63A
Poli	3P+T
Frequenza d'impiego	50Hz
Frequenza d'impiego	60Hz
Tensione nominale	380-415V
Colore	ROSSO
Riferimento Orario	6h

Marchi e Certificazioni

UE
 Dichiarazione di conformità



I.M.Q. - ENEC 03
 European Norms Electrical Certification



CCC (China)
 China Compulsory Certification mark

Norme e Leggi

EN 60309-1 (1999)
 [European Standard] Plugs, socket-outlets and couplers for industrial purposes. Part 1: General requirements



EN 60309-2 (1999)
 [European Standard] Plugs, socket-outlets and couplers for industrial purposes. Part 2: Dimensional interchangeability requirements for pin and contact-tube accessories of harmonized configurations



EN 60309-1/A1 (2007)
[European Standard] Plugs, socket-outlets and couplers for industrial purposes. Part 1: General requirements



EN 60309-2/A1 (2007)
[European Standard] Plugs, socket-outlets and couplers for industrial purposes. Part 2: Dimensional interchangeability requirements for pin and contact-tube accessories of harmonized configurations



EN 60309-4 (2007)
[European Standard] Plugs, socket-outlets and couplers for industrial purposes. Switched socket-outlets and connectors, with or without interlock



EN 60309-1/A2 (2012)
[European Standard] Plugs, socket-outlets and couplers for industrial purposes. Part 1: General requirements



EN 60309-2/A2 (2012)
[European Standard] Plugs, socket-outlets and couplers for industrial purposes. Part 2: Dimensional interchangeability requirements for pin and contact-tube accessories of harmonized configurations

Packaging

Descrizione	Cartone
Quantità	4
Codice EAN	8001636596983
Peso lordo	13 KG
Volume	58056,75 CCM
Dimensioni	305x470x405 (MM)
Descrizione	Scatola
Quantità	1
Codice EAN	8001636596976
Peso lordo	3,25 KG
Volume	12259,75 CCM
Dimensioni	145x445x190 (MM)

Allegati



Istruzioni per l'utilizzo



Istruzioni per l'utilizzo



Disegno tecnico [DWG]

.dwg



Disegno tecnico [PDF]

.pdf



Disegno tecnico [STP]

.stp

Note:

- >
x

Ingresso aperto filettato
- >
x

[LARGE] Possibilità di ingresso dal lato inferiore (pareti lisce con centrino per foratura)
- >
x

Fusibili non forniti
- >
x

Pressacavo incluso
- >
x

Tappo/passacavo filettato incluso
- >
x

Complete di viti di fissaggio in acciaio inox.
- >
x

Solo 400V

Articoli Collegati:

x	576.4340	SUPPORTO MODULO 136 LARGE SISTEMA ADV2
--------------------------------------------------------------	----------	----------------------------------------